

**Firehose Group**

**Single Layer Firehose – 500 PSI - With or without couplings**



Manufactured to NFPA1961, Factory Mutual and Underwriters Laboratories (UL) standards.

Superior strength and wear characteristics.

Black EPDM inner hose.

Aluminum, brass, Storz, Shank threaded, or Cam lock fittings/couplings.

Colors are White, Red, Yellow, Orange

<b>Single Layer Firehose – 500 PSI</b>				
<b>Standard or Custom Length – No couplings or with couplings</b>				
<b>Part Number</b>	<b>Dimension</b>	<b>Aluminum Coupling</b>	<b>Brass Coupling</b>	<b>No Coupling</b>
H-FH-1L-1.00-050-500-W	1" x 50' white	\$ 165.50	NA	\$ 116.00
H-FH-1L-1.00-050-500-C	1" x 50' color	\$ 195.00	NA	\$ 146.00
H-FH-1L-1.00-100-500-W	1" x 100' white	\$ 281.00	NA	\$ 232.00
H-FH-1L-1.00-100-500-C	1" x 100' color	\$ 341.00	NA	\$ 292.00
H-FH-1L-1.00-001-500-W	1" x 1' white	NA	NA	\$ 3.48
H-FH-1L-1.00-001-500-C	1" x 1' color	NA	NA	\$ 4.38
HF-FH-1.00-X	1" bowl size	\$ 49.00	\$ 90.00	← coupling
H-FH-1L-1.50-050-500-W	1.5" x 50' white	\$ 181.50	\$ 226.60	\$ 127.60
H-FH-1L-1.50-050-500-C	1.5" x 50' color	\$ 204.75	\$ 259.60	\$ 160.60
H-FH-1L-1.50-075-500-W	1.5" x 75' white	\$ 245.30	\$ 290.40	\$ 191.40
H-FH-1L-1.50-075-500-C	1.5" x 75' color	\$ 294.80	\$ 339.90	\$ 240.90
H-FH-1L-1.50-100-500-W	1.5" x 100' white	\$ 309.10	\$ 354.20	\$ 255.20
H-FH-1L-1.50-100-500-C	1.5" x 100' color	\$ 375.10	\$ 420.20	\$ 321.20
H-FH-1L-1.50-001-500-W	1.5" x 1' white	NA	NA	\$ 3.83
H-FH-1L-1.50-001-500-C	1.5" x 1' color	NA	NA	\$ 4.82
HF-FH-1.50-X	1.5" bowl size	\$ 49.00	\$ 90.00	← coupling

For "X" value in the coupling part number; substitute **A** for Aluminum & **B** for Brass. Please call for other couplings.  
For color "C" value in the part number; substitute **RD** for red, **YL** for yellow, **OR** for orange

**Continued Next Page**

**Single Layer Firehose – 500 PSI – (continued)**



<b>Single Layer Firehose – 500 PSI</b>				
<b>Standard or Custom Length – No couplings or with couplings</b>				
<b>Part Number</b>	<b>Dimension</b>	<b>Aluminum Coupling</b>	<b>Brass Coupling</b>	<b>No Coupling</b>
H-FH-1L-2.00-050-500-W	2" x 50' white	\$ 232.00	NA	\$ 161.00
H-FH-1L-2.00-050-500-C	2" x 50' color	\$ 260.00	NA	\$ 189.00
H-FH-1L-2.00-100-500-W	2" x 100' white	\$ 393.00	NA	\$ 322.00
H-FH-1L-2.00-100-500-C	2" x 100' color	\$ 449.00	NA	\$ 378.00
H-FH-1L-2.00-001-500-W	2" x 1' white	NA	NA	\$ 4.84
H-FH-1L-2.00-001-500-C	2" x 1' color	NA	NA	\$ 5.68
HF-FH-2.00-X	2.0" bowl size	\$ 71.00	NA	← coupling
H-FH-1L-2.50-050-500-W	2.5" x 50' white	\$ 267.00	\$ 352.00	\$ 186.00
H-FH-1L-2.50-050-500-C	2.5" x 50' color	\$ 310.00	\$ 395.00	\$ 229.00
H-FH-1L-2.50-100-500-W	2.5" x 100' white	\$ 453.00	\$ 538.00	\$ 372.00
H-FH-1L-2.50-100-500-C	2.5" x 100' color	\$ 539.00	\$ 624.00	\$ 458.00
H-FH-1L-2.50-001-500-W	2.5" x 1' white	NA	NA	\$ 5.58
H-FH-1L-2.50-001-500-C	2.5" x 1' color	NA	NA	\$ 6.88
HF-FH-2.50-X	2.5" bowl size	\$ 81.00	\$ 166.00	← coupling

For "X" value in the coupling part number; substitute **A** for Aluminum & **B** for Brass. Please call for other couplings.  
For color "C" value in the part number; substitute **RD** for red, **YL** for yellow, **OR** for orange



**Firehose Group**

**Double Layer Firehose – 800 PSI - With or without couplings**



Manufactured to NFPA1961, Factory Mutual and Underwriters Laboratories (UL) standards.

Superior strength and wear characteristics.

Black EPDM inner hose.

Aluminum, brass, Storz, Shank threaded, or Cam lock fittings/couplings.

Colors are White, Red, Yellow, Orange

<b>Double Layer Firehose – 800 PSI</b>				
<b>Standard or Custom Length – No couplings or with couplings</b>				
<b>Part Number</b>	<b>Dimension</b>	<b>Aluminum Coupling</b>	<b>Brass Coupling</b>	<b>No Coupling</b>
H-FH-2L-1.50-050-500-W	1.5" x 50' white	\$ 209.00	\$ 250.00	\$ 160.00
H-FH-2L-1.50-050-500-C	1.5" x 50' color	\$ 239.00	\$ 280.00	\$ 190.00
H-FH-2L-1.50-075-500-W	1.5" x 75' white	\$ 289.00	\$ 330.00	\$ 240.00
H-FH-2L-1.50-075-500-C	1.5" x 75' color	\$ 334.00	\$ 375.00	\$ 285.00
H-FH-2L-1.50-100-500-W	1.5" x 100' white	\$ 369.00	\$ 410.00	\$ 320.00
H-FH-2L-1.50-100-500-C	1.5" x 100' color	\$ 429.00	\$ 470.00	\$ 380.00
H-FH-2L-1.50-001-500-W	1.5" x 1' white	NA	NA	\$ 4.80
H-FH-2L-1.50-001-500-C	1.5" x 1' color	NA	NA	\$ 5.70
HF-FH-1.50-X	1.5" bowl size	\$ 49.00	\$ 90.00	← coupling
H-FH-2L-1.75-050-500-W	1.75" x 50' white	\$ 255.00	\$ call	\$ 185.00
H-FH-2L-1.75-050-500-C	1.75" x 50' color	\$ 289.00	\$ call	\$ 229.00
H-FH-2L-1.75-100-500-W	1.75" x 100' white	\$ 450.00	\$ call	\$ 390.00
H-FH-2L-1.75-100-500-C	1.75" x 100' color	\$ 518.00	\$ call	\$ 458.00
H-FH-2L-1.75-001-500-W	1.75" x 1' white	NA	NA	\$ 5.86
H-FH-2L-1.75-001-500-C	1.75" x 1' color	NA	NA	\$ 6.88
HF-FH-1.75-X	1.75" bowl size	\$ 60.00	\$ call	← coupling

For "X" value in the coupling part number; substitute **A** for Aluminum & **B** for Brass. Please call for other couplings.  
For color "C" value in the part number; substitute **RD** for red, **YL** for yellow, **OR** for orange

**Continued Next Page**

**Double Layer Firehose – 800 PSI – (continued)**



<b>Double Layer Firehose – 800 PSI</b>				
<b>Standard or Custom Length – No couplings or with couplings</b>				
<b>Part Number</b>	<b>Dimension</b>	<b>Aluminum Coupling</b>	<b>Brass Coupling</b>	<b>No Coupling</b>
H-FH-2L-2.0-050-500-W	2" x 50' white	\$ 313.00	NA	\$ 242.00
H-FH-2L-2.0-050-500-C	2" x 50' color	\$ 353.00	NA	\$ 282.00
H-FH-2L-2.0-100-500-W	2" x 100' white	\$ 555.00	NA	\$ 484.00
H-FH-2L-2.0-100-500-C	2" x 100' color	\$ 635.00	NA	\$ 564.00
H-FH-2L-2.0-001-500-W	2" x 1' white	NA	NA	\$ 7.26
H-FH-2L-2.0-001-500-C	2" x 1' color	NA	NA	\$ 8.46
HF-FH-2.0-X	2.0" bowl size	\$ 71.00	NA	← coupling
H-FH-2L-2.5-050-500-W	2.5" x 50' white	\$ 351.00	\$ 436.00	\$ 270.00
H-FH-2L-2.5-050-500-C	2.5" x 50' color	\$ 393.00	\$ 478.00	\$ 312.00
H-FH-2L-2.5-100-500-W	2.5" x 100' white	\$ 621.00	\$ 706.00	\$ 540.00
H-FH-2L-2.5-100-500-C	2.5" x 100' color	\$ 705.00	\$ 790.00	\$ 624.00
H-FH-2L-2.5-001-500-W	2.5" x 1' white	NA	NA	\$ 8.10
H-FH-2L-2.5-001-500-C	2.5" x 1' color	NA	NA	\$ 9.36
HF-FH-2.5-X	2.5" bowl size	\$ 81.00	\$ 166.00	← coupling

For "X" value in the coupling part number; substitute **A** for Aluminum & **B** for Brass. Please call for other couplings.  
For color "C" value in the part number; substitute **RD** for red, **YL** for yellow, **OR** for orange

**Continued Next Page**

**Double Layer Firehose – 500 PSI – (continued)**



<b>Double Layer Firehose – 800 PSI</b>				
<b>Standard or Custom Length – No couplings or with couplings</b>				
<b>Part Number</b>	<b>Dimension</b>	<b>Aluminum Coupling</b>	<b>Brass Coupling</b>	<b>No Coupling</b>
H-FH-2L-3.0-050-500-W	3" x 50' white	\$ 471.00	call	\$ 320.00
H-FH-2L-3.0-050-500-C	3" x 50' color	\$ 531.00	call	\$ 380.00
H-FH-2L-3.0-100-500-W	3" x 100' white	\$ 791.00	call	\$ 640.00
H-FH-2L-3.0-100-500-C	3" x 100' color	\$ 911.00	call	\$ 760.00
H-FH-2L-3.0-001-500-W	3" x 1' white	NA	NA	\$ 9.60
H-FH-2L-3.0-001-500-C	3" x 1' color	NA	NA	\$ 11.40
HF-FH-3.0-X	3.0" bowl size	\$ 151.00	NA	← coupling

For "X" value in the coupling part number; substitute **A** for Aluminum & **B** for Brass. Please call for other couplings.  
For color "C" value in the part number; substitute **RD** for red, **YL** for yellow, **OR** for orange

<b>Double Layer Firehose – 4" – 600 PSI</b>				
<b>Standard or Custom Length – No couplings or with couplings</b>				
<b>Part Number</b>	<b>Dimension</b>	<b>Aluminum or Storz Coupling</b>	<b>Brass Coupling</b>	<b>No Coupling</b>
H-FH-2L-4.0-050-500-W	4" x 50' white	\$ 947.00	call	\$ 700.00
H-FH-2L-4.0-050-500-C	4" x 50' color	\$ 1011.00	call	\$ 764.00
H-FH-2L-4.0-100-500-W	4" x 100' white	\$ 1647.00	call	\$ 1400.00
H-FH-2L-4.0-100-500-C	4" x 100' color	\$ 1775.00	call	\$ 1528.00
H-FH-2L-4.0-001-500-W	4" x 1' white	NA	NA	\$ 21.00
H-FH-2L-4.0-001-500-C	4" x 1' color	NA	NA	\$ 22.92
HF-FH-4.0-X	4.0" bowl size	\$ 247.00	call	← coupling

For "X" value in the coupling part number; substitute **A** for Aluminum & **B** for Brass. Please call for other couplings.  
For color "C" value in the part number; substitute **RD** for red, **YL** for yellow, **OR** for orange



**Firehose Group**

**MSHA Mining Approved Firehose – 600 PSI  
With or without couplings**



Manufactured to NFPA1961, Factory Mutual and Underwriters Laboratories (UL) standards.

Superior strength and wear characteristics.

Black EPDM inner hose.

Aluminum or brass fittings/couplings.

MSHA Mine approved.

<b>MSHA Firehose – 600 PSI</b>				
<b>Standard or Custom Length – No couplings or with couplings</b>				
<b>Part Number</b>	<b>Dimension</b>	<b>Aluminum Coupling</b>	<b>Brass Coupling</b>	<b>No Coupling</b>
H-FH-MSHA-1.50-050-500	1.5" x 50'	\$ 311.00	\$ call	\$ 262.00
H-FH-MSHA-1.50-100-500	1.5" x 100'	\$ 573.00	\$ call	\$ 524.00
H-FH-MSHA-1.50-001-500	1.5" x 1'	NA	\$ call	\$ 7.87
HF-FH-1.50-X	1.5" bowl size	\$ 49.00	\$ call	← coupling

For "X" value in the coupling part number; substitute **A** for Aluminum & **B** for Brass. Please call for other couplings.