


EMI / RFI / EMF Protection Tape - Nickel-Copper coating on Polyester Backing - self adhesive
302°F / 150°C: High Temperature & Radiant Heat Reflective



- Excellent EMI / RFI / EMF shielding tape for wrapping wires and cables.
- Easy to install - has a conductive acrylic adhesive for superior shielding.
- Roll lengths of 25 feet.
- RoHS compliant.
- 0.004" thick + adhesive thickness.
- Minimum order is 2 rolls.
-

Polyester - NiCu EMI / RFI / EMF Protection Wrapping Tape - with self adhesive	
Part Number	Width inch / mm
T-EMIRFI-POLY-NICU-ACL-M025-16	1.00 / 25




**EMI / RFI / EMF Protection Tape - Tinned Copper Knit Mesh with
Aluminized Polyester Backing - self adhesive**
302°F / 150°C: High Temperature & Radiant Heat Reflective



- Excellent EMI / RFI / EMF shielding tape for wrapping wires and cables.
- Tinned copper knit mesh with aluminized polyester support backing.
- Easy to install - has an acrylic adhesive with release liner.
- Roll lengths of 25 feet.
- RoHS compliant.
- 0.004" thick + adhesive thickness.
- Designed for low flex applications as tinned copper knit mesh may over time abrade the support backing in high flex installation

Tinned Copper Mesh EMI / RFI / EMF Protection Wrapping Tape - with self adhesive	
Part Number	Width inch / mm
T-EMIRFI-SnCu-ALACL-M025-16	1.00 / 25
T-EMIRFI-SnCu-ALACL-M051-32	2.00 / 51



EMI / RFI / EMF Protection Tape - Tinned Copper Knit Mesh with Copper Foil Backing - self adhesive
302°F / 150°C: High Temperature & Radiant Heat Reflective



- Excellent EMI / RFI / EMF shielding tape for wrapping wires and cables.
- Tinned copper knit mesh with aluminized polyester support backing.
- Easy to install - has an acrylic adhesive with release liner.
- Roll lengths of 25 feet.
- RoHS compliant.
- 0.004" thick + adhesive thickness.
- Designed for low flex applications as tinned copper knit mesh may over time abrade the support backing in high flex installation

Tinned Copper Mesh EMI / RFI / EMF Protection Wrapping Tape - with self adhesive	
Part Number	Width inch / mm
T-EMIRFI-SnCu-CUACL-M025-16	1.00 / 25
T-EMIRFI-SnCu-CUACL-M051-32	2.00 / 51